

# Accent®

**Post emergence control of Wild sorghum types, Johnson grass, some grasses and broad-leaf weeds in Maize**

Products contains 750 g/kg nicosulfuron.  
Reg. No. L5157 Act No. 36 of 1947.

**Only by DuPont™**

## Wild sorghum, weed- and grass control



Johnson Grass



Red Bristle Grass



Thorn Apple

**If it does not say Accent® it is NOT !**

Early post-emergence over the top application when maize is in the 2 – 5 leaf stage. Only on ACCENT® tolerant maize hybrids (listed on new ACCENT® label). Directed spray when the maize is in the 7- 10 leaf stage, but not later than 10 leaf stage. Apply by means of drop arms so as to avoid spraying directly into maize funnel. Always apply ACCENT® at a rate of 60 g/ha with an adjuvant, as prescribed on the label, in order to enhance foliar uptake by target weeds. Ensure that the target weeds are adequately covered by the ACCENT® spray mixture. Refer to ACCENT® label for full recommendations and spray tank cleaning procedure.

### Follow Crops:

**Soil pH below 7:**  
Wait 8 months before planting wheat, barley, oats, soybeans, drybeans and sunflowers. Wait 12 months before planting sorghum and all other crops.

**Soil pH above 7:**  
Wait 12 months before planting wheat, barley, oats, soybeans, drybeans and sunflowers. Wait 24 months before planting sorghum and all other crops.



**PRE-HARVEST WITHHOLDING PERIOD :**  
Allow 60 days between application and harvest.

### WARNINGS:

- Do not use ACCENT® on seed maize, sweet corn or popcorn.
- Do not use ACCENT® on maize which is growing under stress conditions, resulting from waterlogging, drought, disease, insect damage and mineral element deficiencies, especially nitrogen.
- Do not use ACCENT® over the top on maize with an uneven height, due to uneven germination.
- Do not apply ACCENT® before, after, or in tank mixture with organo-phosphorous insecticides. Also do not apply ACCENT® on maize crops where organo-phosphorous insecticides were applied in the furrow at planting.
- Certain climatic conditions (such as a lengthy wet, cold period) soon after application of ACCENT® can lead to temporary yellowing or stunting of the crop.
- ACCENT® must not be left in a spray tank for longer than 12 hours before application.