

**TANOS® PRO**

Version 3.1

Revision Date 15.11.2010

Ref.130000000303

This SDS adheres to the standards and regulatory requirements of the European Union and may not meet the regulatory requirements in other countries.

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**Product information**

Product name : TANOS® PRO

 Synonyms : B11655644
 : DPX-A6X34 45WG

Use of the Substance/Mixture : Fungicide

 Company : DuPont de Nemours South Africa (Pty) Ltd
 34 Whiteley Road
 Block B, 1st Floor
 Melrose Arch
 South Africa

Telephone : +27 11 218 8600

Telefax : +27 11 218 8664

Emergency telephone number : +27 (0)83 123 3911

E-mail address : sds-support@che.dupont.com

2. HAZARDS IDENTIFICATION

Harmful by inhalation.

Limited evidence of a carcinogenic effect.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	EC-No.	Registration number	Classification	Concentration [%]
Folpet	133-07-3	205-088-6		Carc.Cat.3; R40 Xn; R20 Xi; R36 R43 N; R50	33,3
Cymoxanil	57966-95-7	261-043-0		Xn; R22 R43 N; R50 -R53	8
Famoxadone	131807-57-3			Xn; R48/22 N; R50 -R53	4

**TANOS[®] PRO**

Version 3.1

Revision Date 15.11.2010

Ref.130000000303

Sodium dihydrogenorthophosphate	7558-80-7	231-449-2		Xi; R36/37/38	>= 1 - < 4
Sodium Diisopropyl-naphthalenesulfonate	1322-93-6	215-343-3		Xn; R22 Xi; R36	>= 1 - < 5
Fumaric acid	110-17-8	203-743-0		Xi; R36	>= 1 - < 5

For the full text of the R-phrases mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

- General advice : Never give anything by mouth to an unconscious person.
- Inhalation : Move to fresh air. Oxygen or artificial respiration if needed. Consult a physician.
- Skin contact : Take off contaminated clothing and shoes immediately. Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a physician. Wash contaminated clothing before re-use.
- Eye contact : Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.
- Ingestion : Obtain medical attention. DO NOT induce vomiting unless directed to do so by a physician or poison control center. If victim is conscious: Rinse mouth with water.

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray, Dry chemical, Foam, Carbon dioxide (CO₂),
- Extinguishing media which shall not be used for safety reasons : High volume water jet, (contamination risk),
- Specific hazards during fire fighting : Hazardous decomposition products formed under fire conditions. Carbon dioxide (CO₂) nitrogen oxides (NO_x)
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
- Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- (on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers / tanks with water spray.

6. ACCIDENTAL RELEASE MEASURES

**TANOS® PRO**

Version 3.1

Revision Date 15.11.2010

Ref.130000000303

- Personal precautions : Evacuate personnel to safe areas. Control access to area. Avoid breathing dust. Avoid dust formation. Avoid contact with the skin and the eyes. Use personal protective equipment. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent further leakage or spillage if safe to do so. Use appropriate container to avoid environmental contamination. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. If the spill area is porous, the contaminated material must be collected for subsequent treatment or disposal. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods for cleaning up : Clean-up methods - small spillage Sweep up or vacuum up spillage and collect in suitable container for disposal.
- Clean-up methods - large spillage Prevent further leakage or spillage. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).
- Additional advice : Never return spills in original containers for re-use. Dispose of in accordance with local regulations.

7. HANDLING AND STORAGE**Handling**

- Advice on safe handling : Use only according to our recommendations. Use only clean equipment. Avoid contact with skin, eyes and clothing. Do not breathe dust or spray mist. Wear personal protective equipment. For personal protection see section 8. Prepare the working solution as given on the label(s) and/or the user instructions. Use prepared working solution as soon as possible - Do not store. Provide appropriate exhaust ventilation at places where dust is formed. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use. Avoid exceeding of the given occupational exposure limits (see section 8).

- Advice on protection against fire and explosion : Keep away from heat and sources of ignition. Avoid dust formation in confined areas. During processing, dust may form explosive mixture in air.

Storage

- Requirements for storage areas and containers : Store in original container. Keep in properly labelled containers. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.
- Advice on common storage : No special restrictions on storage with other products.
- Keep away from: Acids and bases
- Other data : Stable under recommended storage conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION



TANOS[®] PRO

Version 3.1

Revision Date 15.11.2010

Ref.130000000303

Engineering measures

Ensure adequate ventilation, especially in confined areas. Provide for appropriate exhaust ventilation and dust collection at machinery. Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : Manufacturing and processing work: Half mask with a particle filter FFP2 (EN149)

Respiratory protection : Mixer and loaders must wear: Half mask with a particle filter FFP2 (EN149)

Respiratory protection : Spray application - outdoor: Half mask with combination filter A1/P2 (EN 141)

Respiratory protection : Spray application - indoor: Half mask with combination filter A1/P2 (EN 141)

Hand protection : Material: Nitrile rubber
 Glove thickness: 0,4 - 0,7 mm
 Glove length : Gauntlets
 Protection index: Class 6
 Wearing time: > 480 min

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it., Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time., The suitability for a specific workplace should be discussed with the producers of the protective gloves., Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough., Before removing gloves clean them with soap and water.

Eye protection : Safety glasses with side-shields conforming to EN166

Skin and body protection : Manufacturing and processing work: Full protective clothing Type 5 (EN 13982-2)

Mixer and loaders must wear: Full protective clothing Type 5 + 6 (EN ISO 13982-2 / EN 13034) Rubber apron Rubber or plastic boots

Spray application - outdoor: Full protective clothing Type 4 (EN 14605) Nitrile rubber boots (EN 13832-3 / EN ISO 20345).

Spray application - indoor: Full protective clothing Type 4 (EN 14605) Nitrile rubber boots (EN 13832-3 / EN ISO 20345).

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing. Keep working clothes separately. Contaminated work clothing should not be allowed out of the workplace. Wash hands and face before breaks and immediately after handling the product. When using do not eat, drink or smoke. Keep away from food, drink and animal feedingstuffs. For environmental protection remove and wash all contaminated protective equipment before re-use. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing. Dispose of rinse water in accordance with local and national regulations.

**TANOS[®] PRO**

Version 3.1

Revision Date 15.11.2010

Ref.130000000303

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. All chemical protective clothing should be visually inspected prior to use. Clothing and gloves should be replaced in case of chemical or physical damage or if contaminated. Only protected handlers may be in the area during application.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : granules,
Colour : light brown,
Odour : mild, lignin like,
pH : 6,0 at 10 g/l (20 °C)
Melting point/range : Not available for this mixture.
Flash point : not applicable
Flammability (solid, gas) : Does not sustain combustion.
Autoignition temperature : 391 °C
Oxidizing properties : The product is not oxidizing.
Explosive properties : Not explosive
Bulk density : 417 kg/m³ , loose
Bulk density : 494 kg/m³ , packed
Water solubility : , dispersible

10. STABILITY AND REACTIVITY

Conditions to avoid : Decomposes slowly on exposure to water. To avoid thermal decomposition, do not overheat. Under severe dusting conditions, this material may form explosive mixtures in air.
Materials to avoid : Incompatible with acids and bases.
Hazardous decomposition products : Hydrogen cyanide (hydrocyanic acid), Sulphur oxides
Hazardous reactions : No dangerous reaction known under conditions of normal use. Polymerization will not occur. No decomposition if stored and applied as directed.

11. TOXICOLOGICAL INFORMATION

**TANOS® PRO**

Version 3.1

Revision Date 15.11.2010

Ref.130000000303

Acute oral toxicity	:	LD50/ rat : > 2 000 mg/kg Method: Fixed Dose Method (Data on the product itself) Information source: Internal study report
Acute inhalation toxicity		
• Folpet	:	LC50/ 4 h/ rat : 1,89 mg/l
• Cymoxanil	:	LC50/ 4 h/ rat : > 5,06 mg/l
• Famoxadone	:	LC50/ 4 h/ rat : > 5,3 mg/l
Acute dermal toxicity	:	LD50/ rat > 5 000 mg/kg Method: OECD Test Guideline 402 (Data on the product itself) Information source: Internal study report
Skin irritation	:	rabbit Result: No skin irritation Method: OECD Test Guideline 404 (Data on the product itself) Information source: Internal study report
Eye irritation	:	rabbit Result: No eye irritation Method: OECD Test Guideline 405 (Data on the product itself) Information source: Internal study report
Sensitisation	:	Maximisation Test guinea pig Result: Animal test did not cause sensitization by skin contact. Method: OECD Test Guideline 406 (Data on the product itself) Information source: Internal study report
Mutagenicity assessment		
Folpet	:	Did not show mutagenic effects in animal experiments.
Cymoxanil	:	Did not show mutagenic effects in animal experiments., Evidence suggests this substance does not cause genetic damage in cultured mammalian cells., Evidence suggests this substance does not cause genetic damage in cultured bacterial cells.
Famoxadone	:	Tests on bacterial or mammalian cell cultures did not show mutagenic effects., Did not cause genetic damage in animals.
Carcinogenicity assessment		
• Folpet	:	Carcinogenic Category 3, Limited evidence of a carcinogenic effect.
• Cymoxanil	:	Did not show carcinogenic effects in animal experiments.
• Famoxadone	:	Did not show carcinogenic effects in animal experiments.
Toxicity to reproduction assessment		
• Folpet	:	Animal testing did not show any effects on fertility.
• Cymoxanil	:	Animal testing did not show any effects on fertility.
• Famoxadone	:	Animal testing showed effects on reproduction at levels equal to or above those causing parental toxicity.

12. ECOLOGICAL INFORMATION**Elimination information (persistence and degradability)**

Biodegradability : Not readily biodegradable. Estimation based on data obtained on active ingredient.

**TANOS[®] PRO**

Version 3.1

Revision Date 15.11.2010

Ref.130000000303

Bioaccumulation : This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Ecotoxicity effects

Toxicity to fish : flow-through test LC50/ 96 h/ Oncorhynchus mykiss (rainbow trout) :: 0,065 mg/l

Method: OECD Test Guideline 203

(Data on the product itself) Information source: Internal study report

static test LC50/ 96 h/ Lepomis macrochirus (Bluegill sunfish) :: > 0,4 mg/l

Method: OECD Test Guideline 203

(Data on the product itself) Information source: Internal study report

Toxicity to algae : / EbC50/ 72 h/ Pseudokirchneriella subcapitata (green algae): 2,5 mg/l

Method: OECD Test Guideline 201

(Data on the product itself) Information source: Internal study report

Toxicity to daphnia : flow-through test / EC50/ 48 h/ Daphnia magna (Water flea): 0,278 mg/l

Method: OECD Test Guideline 202

(Data on the product itself) Information source: Internal study report

Chronic toxicity to fish

• Cymoxanil : / NOEC/ 21 d/ Oncorhynchus mykiss (rainbow trout): 0,22 mg/l

• Cymoxanil : / NOEC/ 97 d/ Oncorhynchus mykiss (rainbow trout): 0,00098 mg/l

• Famoxadone : / NOEC/ 90 d/ Oncorhynchus mykiss (rainbow trout): 0,0014 mg/l

Chronic toxicity to aquatic Invertebrates

• Cymoxanil : / NOEC/ 21 d/ Daphnia magna (Water flea): 0,067 mg/l

• Famoxadone : / NOEC/ 21 d/ Daphnia magna (Water flea): 0,0037 mg/l

13. DISPOSAL CONSIDERATIONS

Product : In accordance with local and national regulations. Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Do not re-use empty containers.

**TANOS[®] PRO**

Version 3.1

Revision Date 15.11.2010

Ref.130000000303

14. TRANSPORT INFORMATION**ADR**

Class: 9
 Packaging group: III
 Classification Code: M7
 HI No.: 90
 UN number: 3077
 Labelling No.: 9
 Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Folpet, Cymoxanil, Famoxadone)

IMDG

Class: 9
 Packaging group: III
 UN number: 3077
 Labelling No.: 9
 Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Folpet, Cymoxanil, Famoxadone)

Marine pollutant: Marine pollutant

Further information : Not classified as dangerous in the meaning of air transport regulations., Optional classification as per IATA Special Provision A97.

15. REGULATORY INFORMATION**Labelling according to EC Directives**

Symbol(s) : Xn Harmful
 N Dangerous for the environment

Hazardous components: Folpet
 Cymoxanil
 Famoxadone

R-phrase(s) : R20 Harmful by inhalation.
 R40 Limited evidence of a carcinogenic effect.
 R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrase(s) : S 2 Keep out of the reach of children.
 S13 Keep away from food, drink and animal feedingstuffs.
 S20/21 When using do not eat, drink or smoke.
 S36/37 Wear suitable protective clothing and gloves.
 S46 If swallowed, seek medical advice immediately and show this container or label.
 S35 This material and its container must be disposed of in a safe way.
 S57 Use appropriate container to avoid environmental contamination.

**TANOS[®] PRO**

Version 3.1

Revision Date 15.11.2010

Ref.130000000303

SP 1

Do not contaminate water with the product or its container
(Do not clean application equipment near surface
water/Avoid contamination via drains from farmyards and
roads).

Special labelling of certain mixtures : To avoid risks to man and the environment, comply with the instructions for use.

Sensitising components contains:
Cymoxanil

Folpet

May produce an allergic reaction.

16. OTHER INFORMATION**Text of R-phrases mentioned in Section 3**

R20	Harmful by inhalation.
R22	Harmful if swallowed.
R36	Irritating to eyes.
R36/37/38	Irritating to eyes, respiratory system and skin.
R40	Limited evidence of a carcinogenic effect.
R43	May cause sensitization by skin contact.
R48/22	Harmful: danger of serious damage to health by prolonged exposure if swallowed.
R50	Very toxic to aquatic organisms.
R53	May cause long-term adverse effects in the aquatic environment.

Further information

Before use read DuPont's safety information., Take notice of the directions of use on the label.

[®] Registered trademark of E.I. du Pont de Nemours and Company

Significant change from previous version is denoted with a double bar.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.