

**OPEN HERE**

TO CAUSE A HAZARD IN THE USE,  
STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE

**PRECAUTIONS:**

1. Handle with care. The product may irritate eyes, nose throat and skin.
2. Wear suitable protective clothing (overalls, face shield, rubber boots and gloves).
3. KEEP OUT OF REACH OF CHILDREN AND STORE IN A COOL DRY PLACE UNDER LOCK AND KEY.
4. STORE IN THE ORIGINAL CONTAINER APART FROM FOOD, FEED AND SEED.
5. Do not eat, drink or smoke whilst applying or mixing, or before washing hands and face.
6. Prevent contamination of feed, food, eating utensils and drinking water.
7. Do not inhale dust while mixing and avoid inhalation and contact with spray mist during application.
8. Toxic to bees, fish and other aquatic organisms.
9. DO NOT APPLY DIRECTLY TO AND PREVENT DRIFT ONTO DRINKING POOLS, RIVERS, DAMS AND OTHER WATERWAYS.
10. Triple rinse empty containers and add rinsate to spray tank.
11. Destroy empty containers – **do NOT use for any other purpose.**
12. Clean applicator thoroughly after use (see below).
13. Dispose of washings in a safe manner in compliance with 9 above.

**SYMPTOMS OF POISONING**

No known symptoms of poisoning

**FIRST AID**

**Eye contact:** Flush contamination out of eyes with clean water for at least 15 minutes. Get medical attention if irritation occurs and / or persists.

**Skin contact:** Remove contaminated clothing and rinse contaminated body area thoroughly with soap and plenty of water. Get medical attention if irritation occurs and / or persists.

**If Swallowed:** Wash out mouth with water and obtain medical assistance.


**If Inhaled:** Move to fresh air. If breathing is difficult administer artificial respiration or oxygen and call a doctor.

**NOTE TO PHYSICIAN**

No known antidote. Treat symptomatically. Consider gastric lavage avoiding aspiration. Do not give ephedrine or related drugs.



REG NO: 12-C-131-21

NET CONTENTS:  
240 g**HARMFUL IF SWALLOWED**

COMPOSITION:	MASS/MASS
nicosulfuron .....	75%
inert ingredients .....	85%

Chemical Group: **sulfonyl urea**

**Accent® is a water dispersible granular post-emergence herbicide for control of wild sorghum, Shamva grass, volunteer cereals and certain broad leaved weeds in commercial maize**

Manufactured by  
E.I. DuPont de Nemours and Co.



Accent® is a registered trademark of E.I. DuPont de Nemours & Co.,  
Wilmington, Delaware 19898, USA

Registered by:



Polachem Investments (Private) Limited  
12 Connaught Road, Avondale, Harare  
Telephone 334186 / 334204  
polachem@sa.co.zw

K-33206/31305 - ZIMBABWE

**DATE OF MANUFACTURE:** See side of container  
**EXPIRY DATE:** 2 Years from Date of Manufacture  
**BATCH NUMBER:** See side of container

CYAN MAGENTA JAUNE BLACK



TO CAUSE A HAZARD IN THE USE,  
STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE

**PRECAUTIONS:**

1. Handle with care. The product may irritate eyes, nose throat and skin.
2. Wear suitable protective clothing (overalls, face shield, rubber boots and gloves).
3. KEEP OUT OF REACH OF CHILDREN AND STORE IN A COOL DRY PLACE UNDER LOCK AND KEY.
4. STORE IN THE ORIGINAL CONTAINER APART FROM FOOD, FEED AND SEED.
5. Do not eat, drink or smoke whilst applying or mixing, or before washing hands and face.
6. Prevent contamination of feed, food, eating utensils and drinking water.
7. Do not inhale dust while mixing and avoid inhalation and contact with spray mist during application.
8. Toxic to bees, fish and other aquatic organisms.
9. DO NOT APPLY DIRECTLY TO AND PREVENT DRIFT ONTO DRINKING POOLS, RIVERS, DAMS AND OTHER WATERWAYS.
10. Triple rinse empty containers and add rinsate to spray tank.
11. Destroy empty containers – **do NOT use for any other purpose.**
12. Clean applicator thoroughly after use (see below).
13. Dispose of washings in a safe manner in compliance with 9 above.

**SYMPTOMS OF POISONING**

No known symptoms of poisoning

**FIRST AID**

**Eye contact:** Flush contamination out of eyes with clean water for at least 15 minutes. Get medical attention if irritation occurs and / or persists.


**Skin contact:** Remove contaminated clothing and rinse contaminated body area thoroughly with soap and plenty of water. Get medical attention if irritation occurs and / or persists.

**If Swallowed:** Wash out mouth with water and obtain medical assistance.

**If Inhaled:** Move to fresh air. If breathing is difficult administer artificial respiration or oxygen and call a doctor.

**NOTE TO PHYSICIAN**

No known antidote. Treat symptomatically. Consider gastric lavage avoiding aspiration. Do not give ephedrine or related drugs.



**Accent®**  
HERBICIDE





REG NO: 12-C-131-21      NET CONTENTS: 240 g

**CAUTION**


**HARMFUL IF SWALLOWED**

COMPOSITION:	MASS/MASS
nicosulfuron .....	75%
inert ingredients .....	85%

Chemical Group: **sulfonyl urea**

**CAUTION**  
**VERSIGTIG**



**Accent® is a water dispersible granular post-emergence herbicide for control of wild sorghum, Shamva grass, volunteer cereals and certain broad leaved weeds in commercial maize**

Manufactured by  
E.I. DuPont de Nemours and Co.



Accent® is a registered trademark of E.I. DuPont de Nemours & Co.,  
Wilmington, Delaware 19898, USA

Registered by:



Polachem Investments (Private) Limited  
12 Connaught Road, Avondale, Harare  
Telephone 334186 / 334204  
polachem@sa.co.zw

K-33206/31305 - ZIMBABWE

**DIRECTIONS FOR USE:****Use only as directed**

- Apply Accent® after emergence of both the crop and weeds.
- Mix the required quantity of Accent® with a small amount of water to form a smooth cream without any remaining granules.

- Half fill the spray tank with water and then add the creamed product to the tank through a sieve. Top up to the required volume while agitating continuously, add the required amount of adjuvant and proceed with spraying. Apply in 200-300 litres water per hectare and ensure that agitation is thorough.
- Ensure even pray coverage is maintained at all times.

CROP	RATE ACCENT®/HA	APPLICATION DETAILS			
Maize (Not to be used on seed maize, sweet corn or popcorn)	45 g/ha PLUS 100-200 ml approved nonionic wetter per 100 litres water	Earl post-emergence applications. See below for growth stages.			
		<b>N.B. Only to be applied to maize hybrids that are known to be non-sensitive to early over-the top applications of Accent®.</b>			
		Crop/weed	Height (mm)	Leaf stage	
		Maize	150 - 200	2 - 5	
		Shamva grass	100 - 180	3 - 6	
		Wild Sorghum	100 - 180	5 - 6	
Volunteer cereals	100 - 180	3 - 6			
Late post-emergence applications. <b>N.B. For all maize that is at the 6 leaf stage or later and for all maize hybrids that are either sensitive to Accent® or where the sensitivity is not known.</b>					
Apply as a directed spray <b>only</b> when the maize is at the 7 – 10 leaf stage.					
Apply by means of drop-arms to avoid spraying directly into the maize funnel.					
Spray when the weeds have emerged and are growing actively but have not exceeded the maximum stages recommended above.					

## USE PRECAUTIONS

1. **Warning:** Accent® will cause severe crop damage when used before, in tank-mix with or within 14 days after application of organophosphate insecticides. This also applies to in furrow applications of organophosphate insecticides applied at planting. Accent® should therefore only be applied 14 days after such applications. These restrictions do not apply to carbamate insecticides.
2. Do not apply when the crop is under stress e.g. from water logging, drought, disease, insect damage and mineral element deficiencies (especially Nitrogen).
3. Where lengthy wet, cold climatic conditions prevail soon after Accent® application this can lead to temporary yellowing or stunting of the maize.
4. Dilution water: Only apply in water of quality that is suitable for overhead irrigation.
5. Under no circumstances should unused spray mixture be kept overnight.
6. Avoid spray drift onto adjacent crops.

## FOLLOW CROP RESTRICTIONS:

Soil with pH below 7: Maize – 0 months.

Cereals, Soya beans, Dry beans and Sunflowers – 8 months.  
Sorghum; all other crops – 12 months.

Soil with pH above 7: Maize – 0 months.

Cereals, Soya beans, Dry beans and Sunflowers – 12 months.  
Sorghum; all other crops – 24 months.

## TANK CLEAN OUT PROCEDURE:

Clean applicator thoroughly after use using the following method:

1. Drain tank completely then flush tank, boom and hoses with clean water. Drain again.
2. Fill the tank with clean water and add household ammonia (contains 3 % active) at the rate of 1 litre for every 100 litres water. Drain completely.
3. To remove traces of ammonia, rinse the tank with clean water and flush through booms and hoses.
4. Repeat step 2.



5. Nozzles and filters must be removed and cleaned separately with ammonia solution at the same concentration as above.
6. Any contamination on the outside of the spraying equipment should be removed by washing with clean water.

Do not spray, drain or flush equipment on or near desirable trees or plants or where their roots may extend.

to failure of the user to follow the label instructions or to the occurrence of conditions that could not have been foreseen in terms of the registration. Consult the Supplier in the event of any uncertainty.

## **WARRANTEE**

Although this remedy has been extensively tested under a large variety of conditions the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions, compatibility with other substances not indicated on the label and the occurrence of resistance of the pest against the remedy concerned as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, and the environment or harm to man or animal or for lack of performance of the remedy concerned due

to failure of the user to follow the label instructions or to the occurrence of conditions that could not have been foreseen in terms of the registration. Consult the Supplier in the event of any uncertainty.





BLACK





BLACK



