



Braver & Stronger together with Kevlar®

Vehicle Armor made with Kevlar[®] and Tensylon[®]

Protecting those who protect us

In battle, even driving down a road can be life threatening. In the face of RPGs, EFPs, snipers and other threats, DuPont™ Kevlar® fiber helps vehicle armor protect our soldiers.

The men and women of the armed forces are faced with life-and-death challenges whether on foot or on the roads. The same technology we use in body armor can also be found in the interior of military ground vehicles and helicopters. DuPont™ Kevlar® technology is helping the military address the need for strong, lightweight, reliable, flame and heat resistant armor systems and spall protection for a range of vehicles, ships, airplanes and helicopters.



OUPONT

Tensylon[®]

We are constantly looking for new ways to support a warrior's mission. By working with military protective gear companies, we help them as they develop solutions with Kevlar® fiber structures and Tensylon® UHMWPE unidirectional laminates containing Kevlar® fiber to be a part of the vehicle armor solution for combat and tactical vehicles.

Our advanced armor systems help offer the protection warriors need to focus on the fight without penalizing soldier survivability and vehicle performance. It's one of the ways we can help make the road home safer.



Form	DTX	Structure Description	Typical to Nominal in Conditioned Weight (g/m²)	Merge/Style
K29 Plain Weave Fabric (Standard Tenacity)	3330 DTX	Griege, Para-aramid	465	745GR/7451S
KM2+ TP PrePreg fabric (High Tenacity)	1110 DTX	Thermoplastic Para-aramid	260	HA K260
K129 PrePreg Fabric (High Tenacity)	3140 DTX	Heat Set, PrePreg, Single Sided, Para-aramid	460	2581HPP/HA K460S
Bidirectional Laminate	n/a	2 Ply - UHMWPE for Complex Shapes	110	30A
Bidirectional Laminate	n/a	4 Ply - UHMWPE for Noncomplex Panels	215	40A

Visit kevlar.com to learn more

Below are recommendations to help ensure the longevity and high performance of this product. Follow these guidelines for optimal performance of the product.

Caution: Do not use this product in medical applications involving permanent implantation in the human body. For other medical applications see "DuPont Medical Caution Statement."

The information provided herein corresponds to our knowledge on the subject at the date of publication of this data sheet. This information may be subject to revision as

The information provided herein corresponds to our knowledge on the subject at the date of publication of this data sheet. This information may be subject to revision as new knowledge and experience becomes available. The data provided fall within the normal range of product properties and relate only to the specific material designated: these data may not be valid for such material used in combination with any other materials or additives or in any process, unless expressly indicated otherwise. The data provided should not be used to establish specification limits nor used alone as the basis of design: they are not intended to substitute for any testing you may need to conduct to determine for yourself the suitability of a specific material for your particular purposes. Since DuPont cannot anticipate all variations in a ctual end-use conditions, DuPont makes no warranties and assumes no liability in connection with any use of this information. Nothing in this publication is to be considered as a license to operate under, or a recommendation to infringe, any trademark, patent rights, or technical information of DuPont or other persons covering any material or its use.

The DuPont Oval Logo, and all trademarks and service marks denoted with TM, SM or ® are owned by affiliates of DuPont de Nemours, Inc. unless otherwise noted. © 2021 DuPont. All rights reserved







